



ديتونا للتجارة العامة (ش.ذ.م.م.)
Daitona General Trading L.L.C.



ROOTS SCRUB

RB650 | RB750

COMPACT RIDE ON SCRUBBER DRIER



ROOTS
ADDING VALUE



#STANDARD

#PREMIUM



info@daitona.com



www.daitona.com



ROOTS
ADDING VALUE



#STANDARD

#PREMIUM



APPLICATIONS



SHOPPING MALL & MULTIPLEX

HEALTH CARE FACILITY



FOOD COURT & COMMISSARIES

HOTELS & HOSPITALITY



PHARMACEUTICAL INDUSTRIES

AUTOMOBILE SHOWROOM



EDUCATIONAL INSTITUTIONS

MUNICIPALITY & CORPORATION



METRO STATIONS

CONVENTION CENTERS



info@daitona.com



www.daitona.com



ROOTS
ADDING VALUE



RB 650 | RB 750
STANDARD



info@daitona.com



www.daitona.com



ROOTS

ADDING VALUE



FEATURES



*LED display panel
for functions indication*



*Easy and simple lever operation
for Squeegee lift and lower*




*Manual control lever
for water flow*



*Robust constructed
in-built Anti Bacterial tank*



*Manual pedal for extra brush
pressure to remove stubborn stains*



*V - squeegee with
double swing movements*



*Easy and simple lever operation
for brush lift and lower*



*Powerful 200 Ah batteries
ensures longer work time*



info@daitona.com



www.daitona.com



ROOTS
ADDING VALUE



RB 650 | RB 750
PREMIUM



info@daitona.com



www.daitona.com






ROOTS

ADDING VALUE




Water flow control





ADVANTAGES



info@daitona.com



www.daitona.com



ROOTS
ADDING VALUE



RB 650 | RB 750 STANDARD

Technical specification	Units	RB 650	RB 750
Scrubbing width	mm	650	750
Suction Width	mm	870	970
Theoretical area coverage	m ² /h	4225	4875
Working Speed, up to	km/h	6.5	6.5
Travel Speed	Km/h	7	7
Power Supply	V/Ah	24 DC/200	24 DC/200
Total Power	W	1600	1750
No. of brushes	No.	2	2
Diameter of brush	mm	333	385
Brush Speed	rpm	180	180
Brush load	kg	25	30
Fresh water tank	L	100	100
Dirty water tank	L	100	100
Dimensions with squeegee	LxBxH mm	1525 x 870 x 1520	1525 x 970 x 1520
Total Weight Empty/with battery	kg	220/350	240/370
Total Weight ready to Operate	kg	450	470
Turning Circle	mm	1250	1250
Gradient	%	11	11



info@daitona.com



www.daitona.com



ROOTS
ADDING VALUE



RB 650 | RB 750 PREMIUM

Technical specification	Units	RB 650	RB 750
Scrubbing width	mm	650	750
Suction Width	mm	870	970
Theoretical area coverage	m ² /h	4225	4875
Working Speed, up to	km/h	6.5	6.5
Travel Speed	Km/h	7	7
Power Supply	V/Ah	24 DC/200	24 DC/200
Total Power	W	1600	1750
No. of brushes	No.	2	2
Diameter of brush	mm	333	385
Brush Speed	rpm	180	180
Brush load	kg	25	30
Fresh water tank	L	100	100
Dirty water tank	L	100	100
Dimensions with squeegee	LxBxH mm	1525 x 870 x 1520	1525 x 970 x 1520
Total Weight Empty/with battery	kg	220/350	240/370
Total Weight ready to Operate	kg	450	470
Turning Circle	mm	1250	1250
Gradient	%	11	11



info@daitona.com



www.daitona.com



ROOTS
ADDING VALUE